



**WARNING**



**Absolute care MUST be taken when assembling this shed, otherwise serious injury could occur.**

**PLEASE READ BOTH SIDES OF THIS SHEET**

**BEFORE ASSEMBLY**



**Protective  
gloves must  
be worn**

**Work gloves MUST be worn during assembly, we also recommend eye protection and long sleeves when assembling or performing any maintenance on your shed.**

**Care must be taken when handling any pieces of your shed, as some parts have sharp edges.**

**Keep children and pets away while assembling your shed to avoid distractions or accidents.**

**Never put your whole body weight onto the roof of your shed. When using a ladder, ensure that it is fully open and on even ground before using it.**


**Practice caution with tools being used in the assembly of your shed.**

**Do not attempt to assemble your shed if parts are missing. Even light winds can damage your shed if left partially assembled.**

**Do not attempt to assemble your shed on a windy day. The strong winds will make construction difficult and unsafe.**

**It is STRONGLY RECOMMENDED that Aluminium Tape be applied to ANY sharp edges to ensure accidental injury does not occur.**

# **GARDEN SHED ASSEMBLY INSTRUCTION**



**Model number: 301520**

**Size(W×L×H):300cm×152cm×208cm”**

Actual product may differ slightly from the product described herein.

**PLEASE READ THE ASSEMBLY INSTRUCTION CAREFULLY  
BEFORE USE.**

## **SAFETY FIRST**

**Safety precautions are important to follow throughout the construction of your garden shed.**

- Care must be taken when handling any pieces of your shed, as some parts may have sharp edges. Please wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed.
- Keep children and pets away while assembling your shed to avoid distractions or accidents.
- Never put your whole body weight onto the roof of your shed . When using a ladder, ensure that it is fully open and on even ground before using.
- Practice caution with tools being used in the assembly of your shed.
- Do not attempt to assemble your shed if parts are missing. Even light winds can damage your shed if left partially assembled.
- Do not attempt to assemble your shed on a windy day. The strong winds will make construction difficult and unsafe.

## **GENERAL INSTALLATION ADVICE AND MAINTENANCE**

### **SELECTING AND PREPARING YOUR SITE.**

- Keep work area clean and dry. Cluttered, damp, or wet work areas may cause injuries.
- Proper location: Make sure the building is located on a flat level surface. Make sure there is adequate surrounding workspace. Avoid high traffic areas. Always keep the work area free of obstructions, grease, oil, rubbish, and other debris.
- Allow enough working space for ease of moving parts into position during assembly. Be sure there will be enough space at entrance for doors open fully and enough space around the building to be able to fasten the panel screws from the outside.

**DO NOT INSTALL THE SHED IN AREAS SUBJECT TO HIGH WINDS OR ERECT ON A WINDY DAY.** Although this shed is designed to withstand greater wind loads than other conventional sheds, do not install it in areas subject to high winds or erect on a windy day. Any building left partially constructed may be seriously damaged if left in this state. **It is your responsibility to safely and securely anchor the shed,** having regard to the windiest conditions in the area.

**TEAMWORK.** Whenever possible, **three or more people** should work together to assemble your building. One person can position parts or panels while the other is able to handle the screws and the tools.

Assembly time is **4-6 hours.**

**CHECK PARTS BEFORE ASSEMBLY.** All parts have been labelled well, please sort, separate and identify all parts and hardware before construction, and check against the parts list in this manual.

**FOUNDATION.** Before you begin the shed assembly, please build your own foundation, we recommend you build on a concrete slab foundation.

**DOORS.** Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily, keep doors closed to prevent wind damage.

**FINISH.** For long lasting finish, periodically clean and wash the exterior surface. Use touch-up paint to cover the scratches as soon as you notice them on your unit.

**DO NOT STORE CHEMICALS IN YOUR SHED.  
COMBUSTIBLES  
AND CORROSIVES MUST BE STORED IN AIR TIGHT  
APPROVED CONTAINER.**

### **REQUIRED TOOLS**

Below tools are required for the erection of the garden shed. These tools should be at hand before starting work

- 1.Step ladder
- 2.Spanner
- 3.Measuring tape
- 4.Cordless power screw driver
- 5.Power drill

**NOTE:** The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur.

# PARTS LIST

FRONT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	F1	1
	F2	2
	F3	1
	F4	2
	F5	1
	F6	2
	F7	1
	F8	1
	F10	1

LEFT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	L1	1
	L2	1
	L3	1
	L4	1

BACK FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	B1	2
	B2	1
	B3	1
	B4	1
	B5	1
	B6	1
	B7	1

ROOF PARTS LIST		
SKETCH	PART NO.	QTY
	T1	2
	T2	1
	T3	1
	T4	2
	T5	1
	T6	1
	T7	1
	T8	1



MIDDLE		
SKETCH	PART NO.	QTY
	M1	1
	M1-1	1
	M2	2
	M3	2

RIGHT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	R1	1
	R2	1
	R3	1
	R4	1

SKETCH	PART NO.	QTY
	DL1	2
	DL2	1
	DL3	1
	DL5	1
	DL6	1
	DL7	1
	DR1	2
	DR2	1
	DR3	1
	DR5	1
	DR6	1
	DR7	1



ACCESSORIES LIST		
SKETCH	PART NO.	QTY
	W1	6
	W2-1	1
	W2-2	1
	W3	325
	W3-1	7
	W5	8
	W6	8
	W8	80
	W10	1
	W11	7
	W12	1

1. Position the channels over the edge of the panels.



## 2. Front frame assembly

Assemble wall sheet F4 with the channel F2, then assemble with channel F1, F3, F7 and F8, and install F5 and F6 at last.





QTY: 1

SKETCH	PART NO.	QTY
	F1	1
	F2	1
	F3	1
	F4	1
	F5	2
	F6	2
	F7	1
	F8	1
	W3	30

## 3. Left frame assembly

Assemble wall sheet L3 and L4 with screws, then assemble the channel L1, and L2 with screws.





QTY: 1

SKETCH	PART NO.	QTY
	L1	1
	L2	1
	L3	1
	L4	1
	W3	16

#### 4. Right frame assembly

Assemble wall sheet R3 and R4 with screws, then assemble the channel R1, and R2 with screws.





QTY: 1

SKETCH	PART NO.	QTY
	R1	1
	R2	1
	R3	1
	R4	1
	W3	16

#### 5. Back frame assembly




Assemble wall sheet B1, B2 and B3 with screws, then assemble the channel B4, B5, B6 and B7 with screws.





QTY: 1

SKETCH	PART NO.	QTY
	B1	2
	B2	1
	B3	1
	B4	1
	B5	1
	B6	1
	B7	1
	W3	38

6. TOP Roof sheet assembly  
 Assemble wall sheet  
 T1, T2, and T3 with  
 screws, then  
 assemble  
 the channel  
 T4, T5, T6 T7and  
 T8 with screws.



**D**





QTY:1

SKETCH	PART NO.	QTY
--------	----------	-----

	T1	2
	T2	1
	T3	1
	T4	2
	T5	1
	T6	1
	T7	1
	T8	1
	W3	38

7. When connecting front, back, left and right  
 frame, make sure the left and right frame are  
 the outside of the front and back frame.






QTY:1

SKETCH	PART NO.	QTY
--------	----------	-----

	FRONT	1
	LEFT	1
	RIGHT	1
	BACK	1
	W3	32


8. Add the bracing M1, M1-1, M2 and M3 as per image A-A to the wall.  
Add the threshold F10 with screws.

A-A



SKETCH	PART NO.	QTY
	F10	1
	M1	1
	M1-1	1
	M2	2
	M3	2
	W3	34

9. Put the TOP on the roof, and tighten it at pre-punched location with screws.




SKETCH	PART NO.	QTY
	TOP	1
	W3	24

### 10. Left door assembly

Install DL3 DL5 DL1 and DL4 to the sheet DL2, then install door support bars DL6 and DL7 and the bottom latch W10.


Use bolt and nut W3-1 to fix the W2-2's buckle to the channel DL5.



SKETCH	PART NO.	QTY
	DL1	2
	DL2	1
	DL3	1
	DL5	1
	DL6	1
	DL7	1
	W1	3
	W10	1
	W11	3
	W12	1
	W3-1	2
	W3	44


### 11. Right door assembly

Install DR1, DR3 and DR5 to the sheet DL2, use the bolt and nut W3-1 to joint the latch W2-2 to the bracket W2-1 as drawing "a" first and then fix the whole piece of "a" to channel DL3 and the door panel. Pay attention that the left of W2-1 is inserted into the gap of DL3.





SKETCH	PART NO.	QTY
	DR1	2
	DR2	1
	DR3	1
	DR5	1
	DR6	1
	DR7	1
	W1	3
	W2-2	1
	W2-1	1
	W11	4
	W3-1	5
	W3	40

12. Fix the door the the shed.




SKETCH	PART NO.	QTY
	W3	12

13. Finally, fasten the four corners in shed with expansion screws



SKETCH	PART NO.	QTY
	W5	8
	W6	8



**Note:** please push 'screw cover' W8 onto the end of screws inside shed for covering screw sharp.