


GARDEN SHED ASSEMBLY INSTRUCTION



Model number: TK0804P

Size(WxDxH):240x128x171cm

Due to continuing improvements, actual product may differ slightly from the product described herein.

**PLEASE READ THE ASSEMBLY INSTRUCTION CAREFULLY
BEFORE USE.**

SAFETY FIRST

Safety precautions are important to follow throughout the construction of your garden shed.

- Care must be taken when handling any pieces of your shed, as some parts may have sharp edges. Please wear work gloves, eye protection and long sleeves when assembling or performing any maintenance on your shed.
- Keep children and pets away while assembling your shed to avoid distractions or accidents.
- Never put your whole body weight onto the roof of your shed . When using a ladder, ensure that it is fully open and on even ground before using.
- Practice caution with tools being used in the assembly of your shed.
- Do not attempt to assemble your shed if parts are missing. Even light winds can damage your shed if left partially assembled.
- Do not attempt to assemble your shed on a windy day. The strong winds will make construction difficult and unsafe.

GENERAL INSTALLATION ADVICE AND MAINTENANCE

SELECTING AND PREPARING YOUR SITE.

- Keep work area clean and dry. Cluttered, damp, or wet work areas may cause injuries.
- Proper location: Make sure the building is located on a flat level surface. Make sure there is adequate surrounding workspace. Avoid high traffic areas. Always keep the work area free of obstructions, grease, oil, rubbish, and other debris.
- Allow enough working space for ease of moving parts into position during assembly. Be sure there will be enough space at entrance for the doors to open fully and enough space around the building to be able to fasten the panel screws from the outside.

DO NOT INSTALL THE SHED IN AREAS SUBJECT TO HIGH WINDS OR ERECT ON A WINDY DAY. Although this shed is designed to withstand greater wind loads than other conventional sheds, do not install it in areas subject to high winds or erect on a windy day. Any building left partially constructed may be seriously damaged if left in this state. **It is your responsibility to safely and securely anchor the shed,** having regard to the windiest conditions in the area.

TEAMWORK. Whenever possible, **two or more people** should work together to assemble your building. One person can position parts or panels while the other is able to handle the screws and the tools.
Assembly time is **3-5 hours**.

CHECK PARTS BEFORE ASSEMBLY. All parts have been labelled well, please sort, separate and identify all parts and hardware before construction, and check against the parts list in this manual.

FOUNDATION. Before you begin the shed assembly, please build your own foundation, we recommend you build on a concrete slab foundation.

DOORS. Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily, keep doors closed to prevent wind damage.

FINISH. For long lasting finish, periodically clean and wash the exterior surface. Use touch-up paint to cover the scratches as soon as you notice them.

**DO NOT STORE CHEMICALS IN YOUR SHED.
COMBUSTIBLES AND CORROSIVES MUST BE STORED
IN AIR TIGHT APPROVED CONTAINER.**

REQUIRED TOOLS

Below tools are required for the erection of the garden shed. These tools should be at hand before starting work

- 1.Step ladder
- 2.Spanner
- 3.Measuring tape
- 4.Cordless power screw driver
- 5.Power drill

NOTE: The warnings, precautions, and instructions discussed in this manual cannot cover all possible conditions and situations that may occur.

PARTS LIST


FRONT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	F1	1
	F2	2
	F3	1
	F4	1
	F4-1	1
	F5	1
	F6	1
	F7	1
	F8	1
	F9	1
	F10	1
	F11	1

LEFT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	L1	1
	L2	1
	L3	1
	L4	1


RIGHT FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	R1	1
	R2	1
	R3	1
	R4	1

BACK FRAME PARTS LIST		
SKETCH	PART NO.	QTY
	B1	2
	B2	1
	B3	1
	B4	1
	B5	1
	B6	1



ROOF PARTS LIST		
SKETCH	PART NO.	QTY
	T1	1
	T2	2
	T3/T5/T6/T7	4
	T4	2

DOOR PARTS LIST		
SKETCH	PART NO.	QTY
	DL1	1
	DL2	1
	DL3	1
	DL4	1
	DL5	1
	DL6	2
	DL7	1
	DR1	1
	DR2	1
	DR3	1
	DR4	1
	DR5	1
	DR6	2
	DR7	1



	M1	1
	M2	1
	M3	1
	M3-1	1
	M4	1
	M5	1


ACCESSORIES LIST		
SKETCH	PART NO.	QTY
	W1	4
	W2-2	3
	W3	270
	W5	8
	W6	8
	W8	100
	W4	4
	W9	50


1. Position the channels over the edge of the panels.



2. Front frame assembly
Assemble wall sheet F4 with the channel F2,
then assemble with channel F1, F8, F3 and F9.






	F4-1	1		F10	1
	F11	1		W3	28



QTY:1

SKETCH	PART NO.	QTY
	F1	1
	F2	2
	F3	1
	F4	1
	F5	1
	F6	1
	F8	1
	F9	1
	F10	1
	W3	28




3、LEFT



QTY:1

SKETCH	PART NO.	QTY
	L1	1
	L2	1
	L3	1
	L4	1
	W3	14

4、RIGHT






QTY:1

SKETCH	PART NO.	QTY
	R1	1
	R2	1
	R3	1
	R4	1
	W3	14

5. Back frame assembly




Connect wall sheet B1, B2 and B1 with screws;
then assemble with channel B3, B4, B5 and B6;
and tighten B3 and B4, B5 and B6 with screws.



QTY:1

SKETCH	PART NO.	QTY
	B1	2
	B2	1
	B3	1
	B4	1
	B5	1
	B6	1
	W3	30



6.Assemble the roof,add W9 to the screws to against water



QTY:1

SKETCH	PART NO.	QTY
	T1	1
	T2	2
	T3/T5/T6/T7	4
	T4	2
	W3	28
	W9	28


7. When connecting front, back, left and right frame, left and right frame are the outside of front and back frame.




QTY:1

SKETCH	PART NO.	QTY
	FRONT	1
	LEFT	1
	RIGHT	1
	BACK	1
	W3	16


8、








SKETCH	PART NO.	QTY
	F7	1
	W3	2


9. Add the Bracing M1,M2,M3,M3-1, M4 and M5 as per imge A-A to the wall.

A-A




SKETCH	PART NO.	QTY
	M1	1
	M2	1
	M3	1
	M3-1	1
	M4	1
	M5	1
	W3	15

10. Put the TOP on the roof, and tighten it at pre-punched location with screws.



SKETCH	PART NO.	QTY
	TOP	1
	W3	42


11. Left door assembly
Install DL3 and DL5, and then install DL1 and DL4, pay attention that the left of W2-1 is inserted into gap of DL3.



SKETCH	PART NO.	QTY
	DL1	1
	DL2	1
	DL3	1
	DL4	1
	DL5	1
	DL6	2
	W1	2
	DL7	1
	W2-2	2
	W3	42


	W4	4
--	----	---

11. Right door assembly
Install DL3 and DL5, and then install DL1 and DL4, pay attention that the left of W2-1 is inserted into gap of DL3.




SKETCH	PART NO.	QTY
	DR1	1
	DR2	1
	DR3	1
	DR4	1
	DR5	1
	DR6	2
	W1	2
	DR7	1
	W2-2	1
	W3	42

13、 Assemble the door to the front panel.




SKETCH	PART NO.	QTY
	W3	8

14. Finally, fasten the four corners in shed with expansion screws



SKETCH	PART NO.	QTY
	W5	8
	W6	8



Note: please push 'screw cover' W8 onto the end of screws inside shed for covering screw sharp. On the place you need.