



Timber Household Cot

INSTRUCTION MANUAL



Designed and manufactured to AS/NZS 2172:2013

IMPORTANT:

Thank you for choosing our product. Please read and understand these instructions before using this household cot. If in doubt, please seek help from our Customer Service Team 0800 422 274.

Please retain the instructions for future reference.

Images in this manual are representative only. Actual product may vary. The manufacturer reserves the right to change specifications without prior notice.

SAFETY

THANK YOU FOR CHOOSING OUR PRODUCT. PLEASE TAKE TIME TO READ THE IMPORTANT SAFETY NOTES BELOW. THIS WILL ENSURE MANY YEARS OF HAPPY AND SAFE USE.



WARNING:

WARNING! To prevent falls, the maximum mattress thickness should not exceed 150mm.

WARNING! To prevent falls, the mattress base of this cot should be adjusted to the lowest position before the child can sit up.

RECOMMENDED MATTRESS SIZE:

- This cot is to fit mattress size: 1310 x 695 x 100-150mm
- This cot has been manufactured for use with a mattress which measures 1310 x 695 x 100-150mm in thickness. The width and length are specified because it is important that the gaps between the mattress and the sides and ends of the cot will not exceed **40mm** when the mattress is pushed to one side or end, and **20mm** when the mattress is centred in the cot. The thickness of the mattress has been specified to ensure that the depth of the cot is greater than 500mm with the mattress base in the lower position to minimise the risk of a child climbing or falling out of the cot.

WARNING! Follow the manufacturer's assembly instructions in detail to ensure the safety features of the cot are not compromised.

WARNING! This cot has been manufactured for one child only, with a maximum weight of 18kg.

WARNING! The drop side must be raised when the child is unsupervised.

WARNING! When the mattress is assembled in the lower position, ENSURE the higher cot base holders are covered TIGHTLY with the fitted plugs supplied. This is to prevent finger entrapment, swallowing and inhalation hazards.

WARNING! Ensure the cot is placed at a reasonable distance from curtains, blinds, heaters and power points.

WARNING! Ensure medication, string, elastic, small toys or small items such as money, are always kept out of the child's reach from any position when in the cot.

WARNING! Ensure the cot is completely assembled and check that all parts are securely tightened before placing the child into the cot.

WARNING! Do not provide a foothold for your child to climb out by fixing a toy or decoration to the inside of the cot.



WARNING! Do not over tighten screws.

WARNING! Ensure that the child is clear of any moving parts when adjusting the cot.


PARTS

Please retain all packaging until you are certain that no parts are missing.

After assembly, please dispose of **all** packaging carefully.



B – Fixed side panel




C – Drop side panel


Parts included in the hardware box:




G – Castors x 4




Plastic saddles to cover the dropside bottom rail.
H – Large plastic saddle x 2
I – Small plastic saddle x 2




J – Cot assembly bolts



K – Screw to screw in the plastic saddles (**H & I**)



L – Filling screws * **Note these have been pre-assembled into the end panels.**




M – Allen key


Assembly steps:

FIT THE DROPSIDE TO THE END PANELS


1. Stand the end panel **(A)** upright and attach one side of the dropside panel **(C)**. To attach guide the fixed pin into the hole that is on the upper dropside plate rail.




2. Lift the dropside panel to get the bottom attached pin into the middle hole of the bottom dropside plate rail.



3. Repeat this step for assembling the other end panel, make sure the dropside pins are hanging onto the dropside plate rail.




4. Screw the plastic saddles onto the lower plate rail middle holes. Use screw **(K)** to screw in the saddles. The larger saddle **(H)** fits the outwards position hole on the rail and the smaller saddle **(I)** fits the inward position.




ATTACH THE MATTRESS BASE

To attach the mattress base, attach each side to one end panel using screws **(J)** and the Allen key. Do not tighten screws completely. Repeat for the other end of the mattress base. Ensure the base attached is the right way up, this is marked on the base.




WARNING. If this cot is for a new born baby who is less than 6 months old and cannot sit unaided the mattress base can be assembled to the upper position.


Method: Unscrew the pre-assembled plugs and screws located at the upper position on the end panels **(A)**. Attach the mattress base to the upper position of the end panels.



Re-screw the screws and plugs into the holes at the lower base position.



WARNING. TO PREVENT FALLS, THE MATTRESS BASE OF THIS COT SHOULD BE ADJUSTED TO THE LOWEST POSITION BEFORE THE CHILD CAN SIT UP.




ATTACHING THE FIXED SIDE PANELS.

With the cot still standing, slide the fixed side panels **(B)** between the two end panels and attached using the remaining screws **(J)**.

Pull the cot together and tighten **all** screws using the Allen key provided.



WARNING: Do not over tighten screws.




ATTACHING THE CASTORS

Insert the four castors (if supplied) into the end of the cot legs where the sockets are pre-fitted. Press down the brake to lock the wheels.




WARNING: Ensure the castors are Attached securely.



OPERATING THE DROPSIDE PANEL

To lower the dropside panel:

Lift the dropside panel rail to the utmost height, push the bottom rail inwards with your knee and release the dropside.



To raise the dropside panel:

Lift the dropside panel to the highest position and pull the top rail firmly outwards with your wrist then release the dropside.



MAINTENANCE

- Always check parts regularly for tightness of screws, bolts, nuts and other fasteners. Tighten and replace if required.
- To maintain the safety of your nursery product, seek prompt repairs for bent, torn, worn, cracked or broken parts.
- If the dropside panel does not slide down smoothly, use a silicon based spray. Ensure it penetrates the mechanism sufficiently.

CARE

- For cleaning, wipe with a damp cloth using a mild soap solution if necessary.
- Do not use abrasives or detergents on the cot surface.
- Always store the product in a clean and dry place.

Made in China

Manufactured for:
The Warehouse Ltd
26 The Warehouse Way,
Northcote, Auckland.
0800 422 274