


babywise[®]

**HALF BOOSTER
CAR SEAT**

INSTRUCTIONS FOR USE

Suitable for children weighing 15kg to 36kg



⚠ IMPORTANT

**Read all instructions before using this child restraint. Keep instructions for future use.
If these instructions are not followed, the safety of the child may be severely endangered.**


NOTICE

- This is a "Universal" child restraint. It is approved to Regulation No. 44, 04 series of amendments, for general use in vehicles and it will fit most, but not all car seats.
- A correct fit is likely if the vehicle manufacturer has declared in the vehicle handbook that the vehicle is capable of accepting a "Universal" child restraint for this age group.
- This child restraint has been classified as "Universal" under more stringent conditions than those which applied to earlier designs which do not carry this notice.
- If in doubt, consult either the child restraint manufacturer or the retailer.
- Only suitable if the approved vehicles are fitted with 3 point safety belt, approved to UN/ECE Regulation No. 16 or other equivalent standards.

WARNING

- **Important!** Please read all instructions in this manual and in the vehicle owner's manual related to child safety seats carefully and understand them. Install and use the child safety seat as described in the instruction manual. Failure to do this could result in serious injury or death of your child. The instructions shall be retained with the child restraint for the future use.
- DO NOT remove any labels on the child safety seat. Important information is contained on the labels.
- DO NOT use a child safety seat with damaged or missing parts.
- DO NOT use damaged or frayed vehicle belt.

- DO NOT modify or attempt to modify the child safety seat in any way.
- DO NOT take apart or attempt to take apart this child safety seat except as instructed in this manual.
- DO NOT use a child safety seat that has been in a crash. A crash can cause damage to the child safety seat that you cannot see.
- DO NOT replace the child seat cover with any other than the ones we recommend as these parts are integral to the child safety seat's performance.
- DO NOT use a second-hand child seat or child seat whose history you do not know. The rigid items and plastic parts of a child restraint must be so located and installed that they are not liable, during everyday use of the vehicle to become trapped by a movable seat or in a door of the vehicle.
- DO NOT use on the vehicle seats that face the sides or rear of the vehicle (1a,1b). Use the child safety seat only on the vehicle seats that face forward. According to accident statistics, children are safer when properly restrained in the rear seating positions than in the front seating positions (1c,1d).



- DO NOT USE in any configuration not shown in the instructions.
- DO NOT use belt routing methods not shown in these instructions.

- DO NOT use any load bearing contact points other than those described in the instructions and marked in the child restraint.
- DO NOT allow children to play with or adjust the child safety seat. Always check the tightness of the restraint before each use. The straps holding the restraint to the vehicle should be tight, any straps restraining the child should be adjusted to the child's body, and straps should not be twisted.
- NEVER use this child safety seat with 2 point vehicle belts.
- DO NOT use this child safety seat in a passenger seat with an active airbag unless the vehicle manufacturer confirms that it is safe.
- This child restraint should be securely belted in the vehicle even when not in use. In a crash or sudden stop, an unsecured child safety seat may injure other occupants. Any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured.
- NEVER take your child out of the child safety seat when the vehicle is moving.
- This child safety seat is designed to be used only in vehicles; do not use outside of vehicles.
- Make sure that any lap strap is worn low down, so that the child's pelvis is firmly engaged.
- Do not leave the child unattended in their restraint system.
- NEVER use this child safety seat without the car seat cover.
- HOT! Cover the child safety seat when left in direct sunlight. Parts of a child safety seat may become too hot for the child's skin. Always check surfaces before placing a child in the child safety seat.

Checklist Before Use:

Inspect

- child restraint is free of damage

Verify Child within Size Range

- weight between 15kg and 36kg
- height of eyes is below top of car seat back or head rest


Install Booster Forward-Facing in Safe Location in Vehicle

- vehicle seats that face front of vehicle only
- child facing front of vehicle
- compatible vehicle seat belts

Secure Child Properly in Booster

- correct vehicle belt fit (across shoulder and lap)
- vehicle belt not twisted
- vehicle lap belt under arm rests
- vehicle shoulder belt over arm rest


Parts List:



Installation in Vehicle

The child seat MUST be used with a 3 point vehicle seat belt when used as a booster.

1. Put the booster on a forward-facing vehicle seat.
2. Have child sit on booster seat so their back contacts vehicle seat from shoulders to bottom.
3. Position vehicle belt over child. Make sure the vehicle lap belt passes underneath both armrests of the booster seat, and when the vehicle shoulder belt passes over the armrest on the side where the seat belt is buckled (3b). Check that the vehicle belt is not twisted and then buckle it. Contact the child restraint manufacturer if in doubt about this point.
4. The vehicle belt passes over the centre of the child's shoulder (3b).



WARNING

- **MAKE SURE** the lap section of the vehicle belt rests as low as possible over the child's hips and that the shoulder section of the vehicle belt is positioned over the center of the child's shoulder. If the child's eyes are above the vehicle seat back (if no headrest exists) or the top of the vehicle headrest, then the child is too large to use this child seat.
- **VERIFY** that the vehicle buckle does not interfere with the armrest or side of the booster seat (3a). If it does, move the child seat to another vehicle seating position.
- **DO NOT** route the vehicle belt using any other path when using this child seat. For assistance contact child seat manufacturer, or your retailer.
- **DO NOT** use 2 point vehicle belts to install this child seat.
- **ONLY** install this child seat on forward-facing vehicle seats.

Care and Maintenance

Periodically inspect your child seat for worn or damaged parts. If damaged parts are found, replace the child seat.

COVER:

The fabric parts can be cleaned according to the instructions on the washing label.

Made in China

Manufactured for:
The Warehouse Ltd,
26 The Warehouse Way,
Northcote, Auckland.
0800 422 274

jan2018